


A Correlation of
Pearson
Algebra 2
Common Core
©2015



To the
Idaho Core Standards
for Mathematics
Traditional Pathways, Algebra 2
High School

ALWAYS LEARNING

PEARSON

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
Unit 1: Polynomial, Rational, and Radical Relationships		
<ul style="list-style-type: none"> Perform arithmetic operations with complex numbers. 	N.CN.1 Know there is a complex number i such that $i^2 = -1$, and every complex number has the form $a + bi$ with a and b real.	SE/TE: 248-253 TE: 255A-255B
	N.CN.2 Use the relation $i^2 = -1$ and the commutative, associative, and distributive properties to add, subtract, and multiply complex numbers.	SE/TE: 248-253 TE: 255A-255B
<ul style="list-style-type: none"> Use complex numbers in polynomial identities and equations. <i>Limit to polynomials with real coefficients.</i> 	N.CN.7 Solve quadratic equations with real coefficients that have complex solutions.	SE/TE: 248-253, 312-315, 319-322 TE: 255A-255B, 317A-317B, 324A-324B
	N.CN.8 (+) Extend polynomial identities to the complex numbers. <i>For example, rewrite $x^2 + 4$ as $(x + 2i)(x - 2i)$.</i>	SE/TE: 319-322 TE: 324A-324B
	N.CN.9 (+) Know the Fundamental Theorem of Algebra; show that it is true for quadratic polynomials.	SE/TE: 248-253, 312-315, 319-322 TE: 255A-255B, 317A-317B, 324A-324B

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE – Teacher’s Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<ul style="list-style-type: none"> Interpret the structure of expressions. <i>Extend to polynomial and rational expressions.</i> 	A.SSE.1 Interpret expressions that represent a quantity in terms of its context. ★	SE/TE: 41-45, 226-231, 280-287, 434-439, 442-447, 451-456, 527-530 TE: 48A-48B, 231A-231B, 287A-287B, 441A-441B, 450A-450B, 458A-458B, 533A-533B
	a. Interpret parts of an expression, such as terms, factors, and coefficients.	SE/TE: 288-293, 527-530 TE: 295A-295B, 533A-533B
	b. Interpret complicated expressions by viewing one or more of their parts as a single entity. <i>For example, interpret $P(1+r)^n$ as the product of P and a factor not depending on P.</i>	SE/TE: 41-45, 434-439, 442-447, 451-456 527-530 TE: 48A-48B, 441A-441B, 450A-450B, 458A-458B, 533A-533B
	A.SSE.2 Use the structure of an expression to identify ways to rewrite it. <i>For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$.</i>	SE/TE: 216-221, 296-300, 361-364, 367-370, 374-378, 527-530 TE: 223A-223B, 302A-302B, CB 360, 366A-366B, 373A-373B, 380A-380B, 533A-533B
<ul style="list-style-type: none"> Write expressions in equivalent forms to solve problems. <i>Consider extending A.SSE.4 to infinite geometric series in curricular implementations of this course description.</i> 	A.SSE.4 Derive the formula for the sum of a finite geometric series (when the common ratio is not 1), and use the formula to solve problems. <i>For example, calculate mortgage payments.</i> ★	SE/TE: 595-598 TE: CB 594, 601A-601B

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE = Teacher's Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<ul style="list-style-type: none"> Perform arithmetic operations on polynomials. <i>Extend beyond the quadratic polynomials found in Algebra I.</i> 	A.APR.1 Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials.	SE/TE: 280-285, 288-293, 296-300, 303-308 TE: 287A-287B, 295A-295B, 302A-302B, 310A-310B
<ul style="list-style-type: none"> Understand the relationship between zeros and factors of polynomials. 	A.APR.2 Know and apply the Remainder Theorem: For a polynomial $p(x)$ and a number a , the remainder on division by $x - a$ is $p(a)$, so $p(a) = 0$ if and only if $(x - a)$ is a factor of $p(x)$.	SE/TE: 303-308 TE: 310A-310B
	A.APR.3 Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial.	SE/TE: 288-293, 319-322 TE: 295A-295B, CB 325, 324A-324B
<ul style="list-style-type: none"> Use polynomial identities to solve problems. <i>This cluster has many possibilities for optional enrichment, such as relating the example in A.APR.4 to the solution of the system $u^2+v^2=1$, $v = t(u+1)$, relating the Pascal triangle property of binomial coefficients to $(x+y)^{n+1} = (x+y)(x+y)^n$, deriving explicit formulas for the coefficients, or proving the binomial theorem by induction.</i> 	A.APR.4 Prove polynomial identities and use them to describe numerical relationships. For example, the polynomial identity $(x^2 + y^2)^2 = (x^2 - y^2)^2 + (2xy)^2$ can be used to generate Pythagorean triples.	SE/TE: CB 318
	A.APR.5 (+) Know and apply the Binomial Theorem for the expansion of $(x + y)^n$ in powers of x and y for a positive integer n , where x and y are any numbers, with coefficients determined for example by Pascal's Triangle.	SE/TE: 326-330 TE: 330A-330B

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE – Teacher's Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<ul style="list-style-type: none"> • Rewrite rational expressions <i>The limitations on rational functions apply to the rational expressions in A.APR.6. A.APR.7 requires the general division algorithm for polynomials.</i> 	<p>A.APR.6 Rewrite simple rational expressions in different forms; write $a(x)/b(x)$ in the form $q(x) + r(x)/b(x)$, where $a(x)$, $b(x)$, $q(x)$, and $r(x)$ are polynomials with the degree of $r(x)$ less than the degree of $b(x)$, using inspection, long division, or, for the more complicated examples, a computer algebra system.</p>	<p>SE/TE: 303-308, 542-545 TE: 310A-310B, 548A-548B</p>
	<p>A.APR.7 (+) Understand that rational expressions form a system analogous to the rational numbers, closed under addition, subtraction, multiplication, and division by a nonzero rational expression; add, subtract, multiply, and divide rational expressions.</p>	<p>SE/TE: 534-539, 542-545 TE: 541A-541B, 548A-548B</p>
<ul style="list-style-type: none"> • Understand solving equations as a process of reasoning and explain the reasoning. <i>Extend to simple rational and radical equations.</i> 	<p>A.REI.2 Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise.</p>	<p>SE/TE: 390-394, 542-545 TE: 397A-397B, 548A-548B</p>

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE – Teacher’s Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<ul style="list-style-type: none"> • Represent and solve equations and inequalities graphically. <i>Include combinations of linear, polynomial, rational, radical, absolute value, and exponential functions.</i> 	A.REI.11 Explain why the x -coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial, rational, absolute value, exponential, and logarithmic functions.★	SE/TE: 258-261 TE: 264A-264B
<ul style="list-style-type: none"> • Analyze functions using different representations. <i>Relate F.IF.7c to the relationship between zeros of quadratic functions and their factored forms</i> 	F.IF.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.★	SE/TE: 434-441, 442-450, 451-458, 851-858, 861-867, 868-874, 875-882, 883-890 TE: 441A-441B, 450A-450B, 458A-458B, 858A-858B, 867A-867B, 874A-874B, 882A-882B, 890A-890B
	c. Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior.	SE/TE: 280-285, 288-293, 339-342 TE: 287A-287B, 295A-295B, 345A-345B

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE – Teacher’s Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
Unit 2: Trigonometric Functions		
<ul style="list-style-type: none"> Extend the domain of trigonometric functions using the unit circle. 	F.TF.1 Understand radian measure of an angle as the length of the arc on the unit circle subtended by the angle.	SE/TE: 844-847 TE: CB 843, 850A-850B
	F.TF.2 Explain how the unit circle in the coordinate plane enables the extension of trigonometric functions to all real numbers, interpreted as radian measures of angles traversed counterclockwise around the unit circle.	SE/TE: 851-855, 861-864, 868-871 TE: 858A-858B, CB 860, 867A-867B, 874A-874B
<ul style="list-style-type: none"> Model periodic phenomena with trigonometric functions. 	F.TF.5 Choose trigonometric functions to model periodic phenomena with specified amplitude, frequency, and midline.★	SE/TE: 851-855, 861-864, 868-871, 875-880 TE: 858A-858B, CB 860, 867A-867B, 874A-874B, 882A-882B
<ul style="list-style-type: none"> Prove and apply trigonometric identities. <i>An Algebra II course with an additional focus on trigonometry could include the (+) standard F.TF.9: Prove the addition and subtraction formulas for sine, cosine, and tangent and use them to solve problems. This could be limited to acute angles in Algebra II.</i> 	F.TF.8 Prove the Pythagorean identity $\sin^2(\theta) + \cos^2(\theta) = 1$ and use it to find $\sin(\theta)$, $\cos(\theta)$, or $\tan(\theta)$, given $\sin(\theta)$, $\cos(\theta)$, or $\tan(\theta)$, and the quadrant of the angle.	SE/TE: 904-908 TE: 910A-910B

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE – Teacher’s Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
Unit 3: Modeling with Functions		
<p>• Create equations that describe numbers or relationships. <i>For A.CED.1, use all available types of functions to create such equations, including root functions, but constrain to simple cases. While functions used in A.CED.2, 3, and 4 will often be linear, exponential, or quadratic the types of problems should draw from more complex situations than those addressed in Algebra I. For example, finding the equation of a line through a given point perpendicular to another line allows one to find the distance from a point to a line. Note that the example given for A.CED.4 applies to earlier instances of this standard, not to the current course.</i></p>	<p>A.CED.1 Create equations and inequalities in one variable and use them to solve problems. <i>Include equations arising from linear and quadratic functions, and simple rational and exponential functions.</i></p>	<p>SE/TE: 26-30, 33-37, 41-45, 194-198, 226-229, 542-545 TE: 32A-32B, 40A-40B, 48A-48B, 201A-201B, 231A-231B, 548A-548B</p>
	<p>A.CED.2 Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.</p>	<p>SE/TE: 68-71, 74-78, 81-86, 92-96, 114-118, 134-138, 142-145, 202-206, 434-439, 442-447, 498-503, 507-512 TE: 73A-73B, 80A-80B, 88A-88B, 98A-98B, 120A-120B, 141A-141B, 148A-148B, 208A-208B, CB 232, 441A-441B, 450A-450B, 505A-505B, 514A-514B</p>
	<p>A.CED.3 Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context. <i>For example, represent inequalities describing nutritional and cost constraints on combinations of different foods.</i></p>	<p>SE/TE: 134-138, 142-145, 149-152, 157-160, 258-261 TE: 141A-141B, 148A-148B, 155A-155B, 162A-162B, CB 163, 264A-264B, CB 484</p>
	<p>A.CED.4 Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. <i>For example, rearrange Ohm's law $V = IR$ to highlight resistance R.</i></p>	<p>SE/TE: 26-30, 390-394, 498-503 TE: 32A-32B, 397A-397B, 505A-505B</p>

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE – Teacher's Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<ul style="list-style-type: none"> Interpret functions that arise in applications in terms of a context. <i>Emphasize the selection of a model function based on behavior of data and context.</i> 	<p>F.IF.4 For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. <i>Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.</i>★</p>	<p>SE/TE: 74-78, 92-96, 194-198, 202-206, 209-212, 331-335, 828-831, 851-855, 861-864 TE: 80A-80B, 98A-98B, 201A-201B, 208A-208B, 214A-214B, 338A-338B, CB 459, 834A-834B, 858A-858B, 867A-867B</p>
	<p>F.IF.5 Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. <i>For example, if the function $h(n)$ gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function.</i>★</p>	<p>SE/TE: 209-212, 331-335 TE: 214A-214B, 338A-338B</p>
	<p>F.IF.6 Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph.★</p>	<p>SE/TE: 92-96, 194-198, 202-206, 331-335 TE: 98A-98B, 201A-201B, 208A-208B, CB 215, 338A-338B</p>

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE – Teacher’s Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<ul style="list-style-type: none"> • Analyze functions using different representations. <i>Focus on applications and how key features relate to characteristics of a situation, making selection of a particular type of function model appropriate.</i> 	F.IF.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.★	SE/TE: 434-441, 442-450, 451-458, 851-858, 861-867, 868-874, 875-882, 883-890 TE: 441A-441B, 450A-450B, 458A-458B, 858A-858B, 867A-867B, 874A-874B, 882A-882B, 890A-890B
	b. Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions.	SE/TE: 107-111, 114-118, 414-418 TE: CB 90, 113A-113B, 120A-120B, 420A-420B
	e. Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude.	SE/TE: 434-439, 442-447, 851-855, 861-864, 868-871, 875-880, 883-887 TE: 441A-441B, 450A-450B, CB 477, 858A-858B, 867A-867B, 874A-874B, 882A-882B, 890A-890B
	F.IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.	SE/TE: 226-231, 233-239, 288-295, 312-317, 339-345 TE: 231A-231B, 239A-239B, 295A-295B, 317A-317B, 345A-345B
	F.IF.9 Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.	SE/TE: 81-86, 202-206, 339-342, 451-456 TE: 88A-88B, 208A-208B, 345A-345B, 458A-458B

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE – Teacher’s Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<ul style="list-style-type: none"> • Build a function that models a relationship between two quantities. <i>Develop models for more complex or sophisticated situations than in previous courses.</i> 	F.BF.1 Write a function that describes a relationship between two quantities.★	SE/TE: 68-73, 92-98, 202-208, 288-295, 398-404, 442-450, 507-514, 515-523 TE: 73A-73B, 98A-98B, 208A-208B, 295A-295B, 404A-404B, 450A-450B, 514A-514B, 523A-523B
	b. Combine standard function types using arithmetic operations. <i>For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.</i>	SE/TE: 398-401, 442-447, 515-521 TE: 404A-404B, 450A-450B, 523A-523B
<ul style="list-style-type: none"> • Build new functions from existing functions. <i>Use transformations of functions to find models as students consider increasingly more complex situations. For F.BF.3, note the effect of multiple transformations on a single graph and the common effect of each transformation across function types. Extend F.BF.4a to simple rational, simple radical, and simple exponential functions; connect F.BF.4a to F.LE.4.</i> 	F.BF.3 Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $k f(x)$, $f(kx)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them.	SE/TE: 99-103, 107-111, 194-198, 339-342, 507-512 TE: 106A-106B, 113A-113B, 201A-201B, 345A-345B, 514A-514B
	F.BF.4 Find inverse functions.	SE/TE: 405-412, 451-458 TE: 412A-412B, 458A-458B

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE – Teacher’s Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<p>(Continued)</p> <ul style="list-style-type: none"> • Build new functions from existing functions. <i>Use transformations of functions to find models as students consider increasingly more complex situations. For F.BF.3, note the effect of multiple transformations on a single graph and the common effect of each transformation across function types. Extend F.BF.4a to simple rational, simple radical, and simple exponential functions; connect F.BF.4a to F.LE.4</i> 	<p>a. Solve an equation of the form $f(x) = c$ for a simple function f that has an inverse and write an expression for the inverse. <i>For example, $f(x) = 2x^3$ or $f(x) = (x+1)/(x-1)$ for $x \neq 1$.</i></p>	<p>SE/TE: 405-409, 451-456 TE: 412A-412B, CB 413, 458A-458B</p>
<ul style="list-style-type: none"> • Construct and compare linear, quadratic, and exponential models and solve problems. <i>Consider extending this unit to include the relationship between properties of logarithms and properties of exponents, such as the connection between the properties of exponents and the basic logarithm property that $\log xy = \log x + \log y$.</i> 	<p>F.LE.4 For exponential models, express as a logarithm the solution to $ab^{ct} = d$ where a, c, and d are numbers and the base b is 2, 10, or e; evaluate the logarithm using technology.</p>	<p>SE/TE: 469-473, 478-480 TE: 476A-476B, CB 477, 483A-483B, CB 484</p>

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE – Teacher’s Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
Unit 4: Inferences and Conclusions from Data		
<ul style="list-style-type: none"> Summarize, represent, and interpret data on a single count or measurement variable. <i>While students may have heard of the normal distribution, it is unlikely that they will have prior experience using it to make specific estimates. Build on students' understanding of data distributions to help them see how the normal distribution uses area to make estimates of frequencies (which can be expressed as probabilities). Emphasize that only some data are well described by a normal distribution.</i> 	S.ID.4 Use the mean and standard deviation of a data set to fit it to a normal distribution and to estimate population percentages. Recognize that there are data sets for which such a procedure is not appropriate. Use calculators, spreadsheets, and tables to estimate areas under the normal curve.	SE/TE: 719-722, 739-743 TE: 724A-724B, 745A-745B
<ul style="list-style-type: none"> Understand and evaluate random processes underlying statistical experiments. <i>For S.IC.2, include comparing theoretical and empirical results to evaluate the effectiveness of a treatment.</i> 	S.IC.1 Understand statistics as a process for making inferences about population parameters based on a random sample from that population.	SE/TE: 725-728 TE: 730A-730B
	S.IC.2 Decide if a specified model is consistent with results from a given data-generating process, e.g., using simulation. <i>For example, a model says a spinning coin falls heads up with probability 0.5. Would a result of 5 tails in a row cause you to question the model?</i>	TE: CB 694

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE – Teacher's Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<p>• Make inferences and justify conclusions from sample surveys, experiments, and observational studies. <i>In earlier grades, students are introduced to different ways of collecting data and use graphical displays and summary statistics to make comparisons. These ideas are revisited with a focus on how the way in which data is collected determines the scope and nature of the conclusions that can be drawn from that data. The concept of statistical significance is developed informally through simulation as meaning a result that is unlikely to have occurred solely as a result of random selection in sampling or random assignment in an experiment.</i> <i>For S.IC.4 and 5, focus on the variability of results from experiments—that is, focus on statistics as a way of dealing with, not eliminating, inherent randomness.</i></p>	S.IC.3 Recognize the purposes of and differences among sample surveys, experiments, and observational studies; explain how randomization relates to each.	SE/TE: 725-728 TE: 730A-730B
	S.IC.4 Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling.	SE/TE: 725-728 TE: 730A-730B, CB 746
	S.IC.5 Use data from a randomized experiment to compare two treatments; use simulations to decide if differences between parameters are significant.	TE: CB 748
	S.IC.6 Evaluate reports based on data.	SE/TE: 711-715, 719-722, 725-728 TE: 718A-718B, 724A-724B, 730A-730B
<p>• Use probability to evaluate outcomes of decisions. <i>Extend to more complex probability models. Include situations such as those involving quality control, or diagnostic tests that yield both false positive and false negative results.</i></p>	S.MD.6 (+) Use probabilities to make fair decisions (e.g., drawing by lots, using a random number generator).	SE/TE: 703-707 TE: 709A-709B
	S.MD.7 (+) Analyze decisions and strategies using probability concepts (e.g., product testing, medical testing, pulling a hockey goalie at the end of a game).	SE/TE: 703-707 TE: 709A-709B

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE – Teacher’s Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
Math Practices		
<p>Math Practice 1. Make sense of problems and persevere in solving them.</p> <p>Mathematically proficient students start by explaining to themselves the meaning of a problem and looking for entry points to its solution. They analyze givens, constraints, relationships, and goals. They make conjectures about the form and meaning of the solution and plan a solution pathway rather than simply jumping into a solution attempt. They consider analogous problems, and try special cases and simpler forms of the original problem in order to gain insight into its solution. They monitor and evaluate their progress and change course if necessary. Older students might, depending on the context of the problem, transform algebraic expressions or change the viewing window on their graphing calculator to get the information they need. Mathematically proficient students can explain correspondences between equations, verbal descriptions, tables, and graphs or draw diagrams of important features and relationships, graph data, and search for regularity or trends. Younger students might rely on using concrete objects or pictures to help conceptualize and solve a problem. Mathematically proficient students check their answers to problems using a different method, and they continually ask themselves, "Does this make sense?" They can understand the approaches of others to solving complex problems and identify correspondences between different approaches.</p>	<p>This standard is met throughout the text. See the following pages: SE/TE: 182, 266, 346, 486, 662, 742</p>	

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE = Teacher's Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<p>Math Practice 2. Reason abstractly and quantitatively.</p> <p>Mathematically proficient students make sense of quantities and their relationships in problem situations. They bring two complementary abilities to bear on problems involving quantitative relationships: the ability to decontextualize—to abstract a given situation and represent it symbolically and manipulate the representing symbols as if they have a life of their own, without necessarily attending to their referents—and the ability to contextualize, to pause as needed during the manipulation process in order to probe into the referents for the symbols involved. Quantitative reasoning entails habits of creating a coherent representation of the problem at hand; considering the units involved; attending to the meaning of quantities, not just how to compute them; and knowing and flexibly using different properties of operations and objects.</p>		<p>This standard is met throughout the text. See the following lessons: SE/TE: 1-3, 2-8, 3-1, 4-5, 5-3, 7-1, 8-2, 9-2, 10-6, 11-4, 12-5</p>

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE = Teacher's Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<p>Math Practice 3. Construct viable arguments and critique the reasoning of others.</p> <p>Mathematically proficient students understand and use stated assumptions, definitions, and previously established results in constructing arguments. They make conjectures and build a logical progression of statements to explore the truth of their conjectures. They are able to analyze situations by breaking them into cases, and can recognize and use counterexamples. They justify their conclusions, communicate them to others, and respond to the arguments of others. They reason inductively about data, making plausible arguments that take into account the context from which the data arose. Mathematically proficient students are also able to compare the effectiveness of two plausible arguments, distinguish correct logic or reasoning from that which is flawed, and—if there is a flaw in an argument—explain what it is. Elementary students can construct arguments using concrete referents such as objects, drawings, diagrams, and actions. Such arguments can make sense and be correct, even though they are not generalized or made formal until later grades. Later, students learn to determine domains to which an argument applies. Students at all grades can listen or read the arguments of others, decide whether they make sense, and ask useful questions to clarify or improve the arguments.</p>		<p>This standard is met throughout the text. See the following pages: SE/TE: 26, 92, 194, 240, 326, 434, 507, 622, 764, 853</p>

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE = Teacher's Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<p>Math Practice 4. Model with mathematics.</p> <p>Mathematically proficient students can apply the mathematics they know to solve problems arising in everyday life, society, and the workplace. In early grades, this might be as simple as writing an addition equation to describe a situation. In middle grades, a student might apply proportional reasoning to plan a school event or analyze a problem in the community. By high school, a student might use geometry to solve a design problem or use a function to describe how one quantity of interest depends on another. Mathematically proficient students who can apply what they know are comfortable making assumptions and approximations to simplify a complicated situation, realizing that these may need revision later. They are able to identify important quantities in a practical situation and map their relationships using such tools as diagrams, two-way tables, graphs, flowcharts and formulas. They can analyze those relationships mathematically to draw conclusions. They routinely interpret their mathematical results in the context of the situation and reflect on whether the results make sense, possibly improving the model if it has not served its purpose.</p>		<p>This standard is met throughout the text. See the following lessons: SE/TE: 2-5, 3-1, 4-3, 5-8, 7-5, 8-6, 9-3, 11-5, 13-3, 14-4</p>

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE – Teacher’s Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<p>Math Practice 5. Use appropriate tools strategically.</p> <p>Mathematically proficient students consider the available tools when solving a mathematical problem. These tools might include pencil and paper, concrete models, a ruler, a protractor, a calculator, a spreadsheet, a computer algebra system, a statistical package, or dynamic geometry software. Proficient students are sufficiently familiar with tools appropriate for their grade or course to make sound decisions about when each of these tools might be helpful, recognizing both the insight to be gained and their limitations. For example, mathematically proficient high school students analyze graphs of functions and solutions generated using a graphing calculator. They detect possible errors by strategically using estimation and other mathematical knowledge. When making mathematical models, they know that technology can enable them to visualize the results of varying assumptions, explore consequences, and compare predictions with data. Mathematically proficient students at various grade levels are able to identify relevant external mathematical resources, such as digital content located on a website, and use them to pose or solve problems. They are able to use technological tools to explore and deepen their understanding of concepts.</p>		<p>This standard is met throughout the text. See the following pages: SE/TE: 163, 215, 318, 413, 459, 594, 621, 772, 835, 927</p>

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE – Teacher’s Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<p>Math Practice 6. Attend to precision.</p> <p>Mathematically proficient students try to communicate precisely to others. They try to use clear definitions in discussion with others and in their own reasoning. They state the meaning of the symbols they choose, including using the equal sign consistently and appropriately. They are careful about specifying units of measure, and labeling axes to clarify the correspondence with quantities in a problem. They calculate accurately and efficiently, express numerical answers with a degree of precision appropriate for the problem context. In the elementary grades, students give carefully formulated explanations to each other. By the time they reach high school they have learned to examine claims and make explicit use of definitions.</p>		<p>This standard is met throughout the text. See the following lessons: SE/TE: 1-1, 2-3, 3-4, 4-5, 5-3, 6-2, 7-4, 8-3, 10-2, 11-3, 12-3, 13-8</p>

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE – Teacher’s Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<p>Math Practice 7. Look for and make use of structure.</p> <p>Mathematically proficient students look closely to discern a pattern or structure. Young students, for example, might notice that three and seven more is the same amount as seven and three more, or they may sort a collection of shapes according to how many sides the shapes have. Later, students will see 7×8 equals the well-remembered $7 \times 5 + 7 \times 3$, in preparation for learning about the distributive property. In the expression $x^2 + 9x + 14$, older students can see the 14 as 2×7 and the 9 as $2 + 7$. They recognize the significance of an existing line in a geometric figure and can use the strategy of drawing an auxiliary line for solving problems. They also can step back for an overview and shift perspective. They can see complicated things, such as some algebraic expressions, as single objects or as being composed of several objects. For example, they can see $5 - 3(x - y)^2$ as 5 minus a positive number times a square and use that to realize that its value cannot be more than 5 for any real numbers x and y.</p>		<p>This standard is met throughout the text. See the following lessons: SE/TE: 1-6, 2-3, 3-3, 4-6, 5-4, 6-1, 7-5, 8-4, 9-3, 10-4, 11-1, 12-3, 13-3, 14-1</p>

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE = Teacher's Edition

**A Correlation of Pearson Algebra 2 Common Core, ©2015 to the
Idaho Core Standards for Mathematics – Traditional Pathways – Algebra 2**

Clusters and Instructional Notes	Idaho Core Standards	Pearson Algebra 2 Common Core ©2015
<p>Math Practice 8. Look for and express regularity in repeated reasoning.</p> <p>Mathematically proficient students notice if calculations are repeated, and look both for general methods and for shortcuts. Upper elementary students might notice when dividing 25 by 11 that they are repeating the same calculations over and over again, and conclude they have a repeating decimal. By paying attention to the calculation of slope as they repeatedly check whether points are on the line through (1, 2) with slope 3, middle school students might abstract the equation $(y - 2)/(x - 1) = 3$. Noticing the regularity in the way terms cancel when expanding $(x - 1)(x + 1)$, $(x - 1)(x^2 + x + 1)$, and $(x - 1)(x^3 + x^2 + x + 1)$ might lead them to the general formula for the sum of a geometric series. As they work to solve a problem, mathematically proficient students maintain oversight of the process, while attending to the details. They continually evaluate the reasonableness of their intermediate results.</p>		<p>This standard is met throughout the text. See the following lessons: SE/TE: 2-4, 4-6, 5-7, 6-4, 7-4, 9-1, 10-2, 13-3, 14-1</p>

★ indicates modeling standards

(+) Standards needed for advanced courses such as calculus

CB = Concept Byte

SE = Student Edition

TE = Teacher's Edition